

OSLO WAVE 4

General info

Built: 2000
 Port of Registry: Gibraltar
 Flag: Gibraltar
 IMO: 9208203
 Class: DNVGL 100A5 E3 G AUT
 Owners P+I Club: Gard Oslo

Tonnage

Dwt: 17539 dwt
 GT/NT: 11894 / 5920
 Displacement: 24249 ts
 Panama net: TBC
 Suez net: TBC

Type

MULTIPURPOSE CARGO SHIP/TWEENDECKS

Dimensions

LOA: 142,82 m
 LPP: 132,00 m
 Beam: 21,50 m
 Draft Summer: 9,69 m SSW

Engine

Main engine: MAN B&W 7L42 – 6965KW
 Bow thruster: Yes - 500 kW FPP

Tank capacity

Fuel IFO: 1526 m3
 Fuel GO: 145 m3
 Fresh water: 335 m3
 Ballast: 5803 m3

IMDG dangerous cargoes can be loaded in:

Cargo holds No. 1-3:
 Class 1.4s, 2.2, 2.3, 3.3, 4.1, 4.2, 4.3, 5.1, 6.1, 8, 9
 Class 1.1-1.6, 5.2 allowed on deck
 Except:
 Aluminium ferrosilicon, aluminium silicon, ferrosilicon, zinc ashes

Speed / Consumption

Abt. 13,5 knots on abt. 25 mts IFO 380 cSt at sea or manoeuvring
 Abt. 2 mt of IFO/MGO idle / abt. 4,5 mts IFO/MGO when cranes working

Above parameters are based in good weather conditions whilst vessels is on even keel, maximum Force 3 in Beaufort scale and sea-state 2 in Douglas scale. No negative currents, swells or tidal streams, and in temperate waters

All details are "about" and given in good faith without guarantee

Capacity

Grain/Bale
 1: 7,062 cbm / 7545.60 cbm
 2: 12,282 cbm / 12,282.40 cbm
 Total: abt 18,511 / 19,828 cbm

Holds

Number Holds: 2

Hold dimensions (L X B X H):
 HO 1: TBC
 HO 2: TBC

Hatch

Hatch openings: No 1: 35.86m x 17.75m
 No 2: 52.08m x 17.75m

Type of covers: MacGregor Folding

Permissible Loads

Tanktop: 20 mt/sqm
 Tweendeck: 4.00 mt/m3
 Weatherdeck hatch: 1.75 mt/sqm

Hold Equipment

IMO Fitted: as per Document of Compliance
 Hold ladders: Hold ladders in bulk head AMSA approved except for slanted ladders
 Timber stanchions: No
 St Lawrence fitted: Yes
 CO2 / smoke detector fitted: Yes

Mechanical ventilation system:
 20 numbers/hour basis empty holds

Gear

Type of gear: 3 x 60 mt cranes
 Combi 120 mt / 16.00m

Containers

965 TEU / 431 FEU
 60 Reefer Plugs